

Veröffentlichungen

Veröffentlichungen des Stabes der Biologischen Anstalt Helgoland, die anderenorts erschienen sind

Publications by the staff of the Biologische Anstalt Helgoland that have been published elsewhere

- Andres, H. G., 1985. Die Gammaridea (Crustacea: Amphipoda) der Deutschen Antarktis-Expeditionen 1975/76 und 1977/78. 4. Acanthonotozomatidae, Paramphithoidae und Stegocephalidae. – Mitt. hamb. zool. Mus. Inst. 82, 119–153.
- Anger, K. & Jacobi, C. C., 1985. Respiration and growth of *Hyas araneus* L. larvae (Decapoda: Majidae) from hatching to metamorphosis. – J. exp. mar. Biol. Ecol. 88, 257–270.
- Anger, K., 1985. Influence of salinity on larval development of the spider crab, *Hyas araneus*, reared in the laboratory. In: Marine biology of polar regions and effects of stress on marine organisms. Ed. by J. S. Gray & M. E. Christiansen. Wiley, Chichester, 463–474.
- Bardach, H. E. & H. Rosenthal (Eds), 1985. Aquaculture: Promises and constraints. – GeoJournal 10, 219–336.
- Bartsch, I., 1985. *Astrotoma agassizii* Lyman, 1875 (Gorgonocephalidae, Ophiuroidea), Beschreibung der Skelettplatten der Adulten und Juvenilen. – Mitt. hamb. zool. Mus. Inst. 82, 303–309.
- Bartsch, I., 1985. Zur Verbreitung der *gibbus*-Gruppe (Cupidognathus: Halacaridae, Acari) und Beschreibung zweier neuer Arten. – Acarologia 26, 25–35.
- Bartsch, I., 1985. Zur Halacaridenfauna (Halacaridae, Acari) der Philippinen. Beschreibung von drei Arten. – Mitt. hamb. zool. Mus. Inst. 82, 269–277.
- Bulnheim, H.-P., 1985. Genetic differentiation between natural populations of *Gammarus tigrinus* (Crustacea, Amphipoda) with reference to its range extension in European continental waters. – Arch. Hydrobiol. 102, 273–290.
- Dawirs, R. R., 1984. Respiratory metabolism of *Pagurus bernhardus* (Decapoda: Paguridae) megalopa. – Mar. Biol. 83, 219–223.
- Dawirs, R. R., 1984. Influence of starvation on larval development of *Carcinus maenas* L. (Decapoda: Portunidae). – J. exp. mar. Biol. Ecol. 80, 47–66.
- Dawirs, R. R., 1985. Temperature and larval development of *Carcinus maenas* (Decapoda) in the laboratory; predictions of larval dynamics in the sea. – Mar. Ecol. Prog. Ser. 24, 297–302.
- Dethlefsen, V., Cameron, P. & Westernhagen, H. von, 1985. Untersuchungen über die Häufigkeit von Mißbildungen in Fischembryonen der südlichen Nordsee. – Inf. Fischw. 32, 22–27.
- Dittmann, S. & Reise, K., 1985. Assemblage of free-living Plathelminthes on an intertidal mud flat in the North Sea. – Microfauna mar. 2, 95–115.

- Dring, M. J. & Lüning, K., 1985. Emerson enhancement effect and quantum yield of photosynthesis for marine macroalgae in simulated underwater light fields. – Mar. Biol. 87, 109–117.
- Eberlein, K., Leal, M. T., Hammer, K. D. & Hickel, W., 1985. Dissolved organic substances during a *Phaeocystis pouchetii* bloom in the German Bight (North Sea). – Mar. Biol. 89, 311–316.
- Farke, H., Wonneberger, K., Gunkel, W. & Dahlmann, G., 1985. Effects of oil and a dispersant in intertidal organisms in field experiments with a mesocosm, the Bremerhaven Caisson. – Mar. environ. Res. 15, 97–114.
- Greve, W., 1985. Systemökologisches Praktikum. – Verh. Ges. Ökol. 13, 485–489.
- Hansen, P.-D., Westernhagen H. von & Rosenthal, H., 1985. Chlorinated hydrocarbons and hatching success in Baltic herring spring spawners. – Mar. environ. Res. 15, 59–76.
- Hartmann-Schröder, G. & George, J. D., 1985. Polychaetes: British Amphinomida, Spinithenda and Eunicada. Brill, London, 221 pp. (Synopses of the British Fauna. 32.)
- Hartmann-Schröder, G., 1985. *Polynoe caeciliae* Fauvel (Polynoidae), ein mit Korallen assoziierter Polychaet. – Mitt. hamb. zool. Mus. Inst. 82, 31–35.
- Hartmann-Schröder, G., 1985. Revision der Gattung *Ceratonereis* Kinberg (Nereididae, Polychaeta). Mit besonderer Berücksichtigung der Arten mit eingeschnittenem Prostomium. – Mitt. hamb. zool. Mus. Inst. 82, 37–58.
- Hartmann-Schröder, G., 1985. Die Polychaeten der antiborealen Südküste Australiens (zwischen Port Lincoln im Westen und Port Augusta im Osten). – Mitt. hamb. zool. Mus. Inst. 82, 61–99.
- Hermes, R., 1985. Distribution of neustonic larvae of hakes *Urophycis* spp. and forbear-ded rockling *Enchelyopus cimbrius* in the Georges Bank area. – Trans. Am. Fish. Soc. 114, 604–608.
- Hoppenheit, M., 1985. Überwachung der Deutschen Bucht – Arbeit der Biologischen Anstalt Helgoland. – Mitt. dt. Ges. Meeresforsch. 1985 (3–4), 25–28.
- Hülsemann, K., 1985. A new species of *Neoscolelecidix* Canu (Copepoda Calanoida) in Antarctic water with remarks on the genus. – Polar Biol. 5, 55–62.
- Hülsemann, K., 1985. Two species of *Drepanopus* Brady (Copepoda Calanoida) with discrete ranges in the Southern Hemisphere. – J. Plankt. Res. 7, 909–925.
- Jacobi, C. C. & Anger, K., 1985. Growth and respiration during the larval development of *Hyas coarctatus* (Decapoda: Majidae). – Mar. Biol. 87, 173–180.
- Jacobi, C. C. & Anger, K., 1985. Effects of temperature on respiration of larval stages of *Hyas araneus* and *H. coarctatus* (Decapoda, Majidae). – Mar. Ecol. Prog. Ser. 26, 181–186.
- John, H.-Ch., 1985. Horizontal and vertical distribution patterns of fish larvae off NW Africa in relation to the environment. In: Simposio internacional sobre las areas de afloramiento mas importantes del oeste africano (Cabo Blanco y Benguela). Ed by C. Bas, R. Margaleef, P. Rubies. Inst. Inv. Pesqueras, Barcelona 1, 489–512.
- John, H.-Ch. & Körner, Ch., 1985: The larval development of *Schedophilus medusophagus* Cocco 1839 (Teleostei, Perciformes). – Can. tech. Rep. Fish. aquat. Sci. 1359, 77–82.
- Kapp, H. & Hagen, W., 1985. Two new species of *Heterokrohnia* (Chaetognatha) from Antarctic water – Polar Biol. 4, 53–59.

- Kinne, O. (Ed.), 1985. Diseases of marine animals. Biologische Anstalt Helgoland, Hamburg 4 (2), 543–884.
- Kinne, O., 1985. Introduction to Volume IV, Part. 2: Reptilia, Aves, Mammalia. In: Diseases of marine animals. Ed. by O. Kinne. Biologische Anstalt Helgoland, Hamburg 4 (2), 543–552.
- Kinzer, J. & Schulz, K., 1985. Vertical distribution and feeding patterns of midwater fish in the central equatorial Atlantic. – Mar. Biol. 85, 313–322.
- Lauckner, G., 1985. Agents: Fungi. In: Diseases of marine animals. Ed. by O. Kinne. Biologische Anstalt Helgoland, Hamburg, 4 (1), 89–113.
- Lauckner, G., 1985. Diseases caused by protophytans (Algae). In: Diseases of marine animals. Ed. by O. Kinne. Biologische Anstalt Helgoland, Hamburg, 4 (1), 169–179.
- Lauckner, G., 1985. Diseases caused by metazoans: Cnidarians. In: Diseases of marine animals. Ed. by O. Kinne. Biologische Anstalt Helgoland, 4 (1), 180–192.
- Lenz, J., Schneider, G., Elbrächter, M., Fritsche, P., Johannsen, H. & Weiße, T., 1985. Hydrographic, chemical and planktological data from the North-West-African upwelling area obtained from February to April 1983. – Ber. Inst. Meersk., Kiel 140, 1–105.
- Lüning, K., 1985. Meeresbotanik. Thieme, Stuttgart, 375 pp.
- Lüning, K. & Dring, M. J., 1985. Action spectra and spectral quantum yield of photosynthesis in marine macroalgae with thin and thick thalli. – Mar. Biol. 87, 119–129.
- Minas, W., 1985. Temperaturabhängigkeit des Ölabbaus in der Nordsee durch natürlich vorkommende Mikroorganismenpopulationen am Beispiel eines Schweröls (Bunker C). – Forsch. Ber. dt. Ges. Mineralölwiss. Kohlechemie 335-01, 1–103.
- Müller, D. G., Boland, W., Jaenicke, L. Gassmann, G., 1985. Diversification of chemoreceptors in Ectocarpus, Sphaerelaria, and *Adenocystis* (Phaeophyceae). – Z. Naturf. 40c, 457–459.
- Müller, D. G. & Gassmann, G., 1985. Sexual reproduction and the role of sperm attractants in monoecious species of the brown algae order Fucales (*Fucus*, *Hesperohycus*, *Pelvetia*, and *Pelvetiopsis*). – J. Pl. Physiol. 118, 401–408.
- Müller, D. G., Clayton, M. N., Gassmann, G., Boland, W., Marner, F.-J., Schotten, T. & Jaenicke, L., 1985. Cystophorene and Homosirene, sperm attractants in Australian brown algae. – Naturwissenschaften 72, 97–98.
- Müller, D. G., Maier, I. & Gassmann, G., 1985. Survey on sexual pheromone specificity in Laminariales (Phaeophyceae). – Phycologia 24, 475–477.
- Niermann, U., Andres, H. C. & John, H.-Ch., 1985. Distribution and abundance of pelagic *Sargassum* in spring 1979. – Senckenberg. marit. 17, 293–302.
- Reise, K., 1985. Predator control in marine tidal sediments. In: Proceedings of the Nineteenth European Marine Biology Symposium. Ed. P. E. Gibbs. Cambridge University Press, Cambridge, 311–321.
- Reise, K., 1985. Tidal flat ecology. Springer, Heidelberg, 191 pp.
- Reise, K., 1985. Ökologische Reaktionsketten in den Wattböden der Nordsee. – Verh. Ges. Ökol. 13, 19–27.
- Rieper, M., 1985. Some lower food web organisms in the nutrition of marine harpacticoid copepods; an experimental study. – Helgoländer Meeresunters. 39, 357–366.
- Rosenthal, H., 1985. Constraints and perspectives in aquaculture development. – Geo-Journal 10, 305–324.

- Schnell, S., Becker, W. & Winkler, A., 1985. Amino acid metabolism in the freshwater pulmonate *Biomphalaria glabrata* infected with the trematode *Schistosoma mansoni*. – Comp. Biochem. Physiol. 81B, 1001–1008.
- Schnepf, E., Deichgräber, G. & Drebes, G., 1985. Food uptake and the fine structure of the dinophyte *Paulsenella* sp., an ectoparasite of marine diatoms. – Protoplasma 124, 188–204.
- Schulz, K., 1985. Aspects of calanoid copepod distribution in the upper 200 m of the central and southern Sargasso Sea in spring 1979. – Syllogeus 58, 458–465.
- Siebers, D., Winkler, A. & Lucu, C., 1985. Ein Enzym, die Na-K-ATPase, ermöglicht die Besiedlung von Biotopen mit niedrigen Salzgehalten. – Verh. dt. zool. Ges. 78, 326.
- Siebers, D., Winkler, A., Lucu, C., Thedens, G. & Weichert, D., 1985. Na-K-ATPase generates an active transport potential in the gills of the hyperregulating shore crab *Carcinus maenas*. – Mar. Biol. 87, 185–192.
- Sperling, K.-R., Janssen, D., Wulf, T., 1985. Gaschromatographic – mass spectrometric investigations on lipophilic anthropogenic substances in marine organisms. I. A. clean-up procedure consisting of liquid-liquid and reversed phase (Octadecyl partitioning). – Z. analyt. Chem. 320, 1–5.
- Sperling, K.-R., 1985. Cadmiumbestimmung in Küstenwasserproben aus der Deutschen Bucht. – Vom Wasser 64, 53–68.
- Sperling, K.-R., 1985. Möglichkeiten und Grenzen des Monitorings im Meeres- und Küsten- und Ästuarbereich. – Eine kritische Betrachtung. – Mitt. dt. Ges. Meeresforsch. 1985 (3–4), 15.
- Tesch, F.-W., 1985. Der Ostseeaal, seine Wanderungen und Nachwuchsprobleme. – Fischerblatt 33, 285–293.
- Tesch, F.-W., 1985. Aalnachwuchs drastisch zurückgegangen. – Fisch und Fang 26 (10), 20–21.
- Tesch, F.-W., 1985. Die Konkurrenz des Aales zu anderen Organismen; ein Literaturrefferrat. – Arb. dt. Fisch. Verb. 38a, 82–106.
- Wehrenberg, C. & Reise, K., 1985. Artenspektrum und Abundanz freilebender Plathelminthes in sublitoralen Sänden der Nordsee bei Sylt. – Microfauna mar. 2, 116–138.
- Werner, B., 1984. Cnidaria. In: Lehrbuch der speziellen Zoologie. Hrsg. von H.-E. Gruner. Fischer, Stuttgart, 1 (2), 11–305.
- Werner, B., 1984. Ctenophora. In: Lehrbuch der speziellen Zoologie. Hrsg. von H.-E. Gruner. Fischer, Stuttgart, 1 (2), 306–335.