

Veröffentlichungen

Veröffentlichungen des Stabes der Biologischen Anstalt Helgoland, die anderenorts erschienen sind

Publications by the staff of the Biologische Anstalt Helgoland that have been published elsewhere

- Andres, H. G., 1982. Die Gammaridea (Crustacea: Amphipoda) der Deutschen Antarktisexpeditionen 1975/76 und 1977/78. 2. Eusiridae. – Mitt. hamb. zool. Mus. Inst. 79, 159–185.
- Anger, K. & Dawirs, R. R., 1982. Elemental composition (C, N, H) and energy in growing and starving larvae of *Hyas araneus* (Decapoda, Majidae). – Fish.Bull.U.S. 80, 419–433.
- Asmus, R., 1982. Field measurements of respiration and secondary production of a benthic community in the northern Wadden Sea. – Neth. J. Sea Res. 16, 403–413.
- Asmus, R., 1982. Field measurements on seasonal variation of the activity of primary producers on a sandy tidal flat in the northern Wadden Sea. – Neth. J. Sea Res. 16, 389–402.
- Bardach, J. E. & Rosenthal, H., 1982. World Conference on Aquaculture and International Aquaculture Trade-Show held at the Cini Foundation in Venice, September 21 to 25, 1981: a review. – GeoJournal 6, 89–91.
- Bartsch, I., 1982. Drei Arten der Gattung *Copidognathus* (Acari, Halacaridae) aus dem Argentinischen Becken. – Entom. Mitt. zool. Mus. Hamburg 7, 162–174.
- Bartsch, I., 1982. Ophiuroidea (Echinodermata) from the Patagonian Shelf. – Mitt. hamb. zool. Mus. Inst. 79, 211–250.
- Bartsch, I., 1982. Zur Gattung *Bathyhalacarus* (Acari, Halacaridae), nebst Beschreibung fünf neuer Arten. – Zool. Scr. 11, 209–220.
- Bolton, J. J. & Lüning, K., 1982. Optimal growth and maximal survival temperatures of Atlantic *Laminaria* species (Phaeophyta) in culture. – Mar. Biol. 66, 89–94.
- Bulnheim, H.-P. & Fava, G., 1982. Colour polymorphism and genetic variation in *Idotea baltica* populations from the Adriatic Sea and Baltic Sea. – Genetica 59, 177–190.
- Bulnheim, H.-P. & Mühlenkamp, M., 1982. Genetische Variabilität und Ausbreitung von *Gammarus tigrinus* auf dem europäischen Kontinent. – Verh. dt. zool. Ges. 1982, 293.
- Bulnheim, H.-P. & Scholl, A., 1982. Polymorphism of mannose phosphate isomerase in North Sea and Baltic Sea populations of the amphipods *Gammarus zaddachi* and *G. salinus*. – Mar. Biol. 71, 163–166.
- Dethlefsen, V. & Westernhagen, H. von, 1982. Sauerstoffmangel in der Deutschen Bucht und seine Wirkung auf Fische und Bodenfauna. – Inf. Fischwirtsch. 29, 177–185.
- Elbrächter, M., 1982. The distribution and ecological significance of the planktonic diatom *Thalassiosira partheneia*. – Rapp.P.-v. Réun. Cons. int. Explor. Mer. 180, 244–245.

- Gassmann, G., 1982. Detection of aliphatic hydrocarbons derived by recent "bioconversion" from fossil fuel oil in North Sea waters. – Mar. Pollut. Bull. 13, 309–315.
- Gillbricht, M., 1982. A red tide in the southern North Sea during summer/autumn 1981. – C. M./ICES, L 6, 1–12.
- Hartmann-Schröder, G., 1982. Die Polychaeten der Fahrt 36 (1975) von F. S. "Meteor" in das Auftriebsgebiet vor Nordwest-Afrika. – Meteor ForschErgebn. (D) 35, 1–20.
- Hartmann-Schröder, G., 1982. Die Polychaeten der subtropisch-antiborealen Westküste Australiens (zwischen Cervantes im Norden und Cape Naturaliste im Süden. – Mitt. hamb. zool. Mus. Inst. 79, 51–118.
- Hourston, A. S., Rosenthal, H. & Kerr, S., 1981. Capacity of juvenile Pacific herring (*Clupea harengus pallasii*) to feed on larvae of their own species. – Can. tech. Rep. Fish. aquat. Sci. 1044, 1–9.
- Hourston, A. S., Rosenthal, H. & Westernhagen, H. von, 1981. Condition at hatching of Pacific herring larvae from natural and artificial spawn of different intensities on a variety of substrates. – Can. tech. Rep. Fish. aquat. Sci. 1045, 1–25.
- John, H.-Ch., 1982. Distribution of *Halobates micans* (Heteroptera, Gerridae) in the Northern Atlantic during spring, with comments on its catchability in neuston nets. – Meteor ForschErgebn. (D) 34, 31–36.
- John, H.-Ch., 1982. Horizontal and vertical distribution of sardine and other fish. – Rapp. P.-v. Réunion. Cons. int. Explor. Mer 180, 359–364.
- John, H.-Ch., 1981. Ichthyoneuston of the Cape Verde Archipelago. – Rapp. P.-v. Réunion. Cons. int. Explor. Mer 178, 237–239.
- Kahan, D., Uhlig, G., Schwenzer, D. & Horowitz, L., 1982. A simple method for cultivating harpacticoid copepods and offering them to fish larvae. – Aquaculture 26, 303–310.
- Kayser, H., 1982. Cadmium effects in food-chain experiments with marine plankton algae (Dinophyta) and benthic filter feeders (Tunicata). – Neth. J. Sea Res. 16, 444–454.
- Kayser, H., 1982. Cadmium effects in food-chain experiments with plankton algae and community of small, benthic plankton feeders (Ciliata, Bryozoa, Kamptozoa). – Atlântica, Rio Grande, 5 (2), 64.
- Kinne, O. (Ed.), 1982. Marine ecology. Wiley, Chichester, 5 (1), 1–642.
- Kinne, O., 1982. General aspects; Comments on Chapters 2 to 9. In: Marine ecology. Ed. by O. Kinne. Wiley, Chichester, 5 (1), 1–8.
- Kinne, O., 1982. Aquakultur und die Ernährung von morgen. – Spektrum Wiss., 1982 (12), 46–64.
- Kinne, O., 1982. Adaptation to environmental change: problems of physiological and ecological experimentation. (Russ.) In: Proceedings of the 14th Pacific Science Congress (Khabarovsk, August, 1979), Section "Marine Biology". Academy of Sciences of the USSR, Far East Science Center, Institute of Marine Biology, Vladivostok 3, 21–25.
- Kuhlmann, D., Fukuhara, O. & Rosenthal, H., 1982. Shrinkage and weight loss of marine fish food organisms preserved in formalin. – Bull. Nansei reg. Fish. Res. Lab. 14, 13–18.
- Lüning, K., 1982. Seasonality in larger brown algae and its possible regulation by the

- environment. – In: Synthetic and degradative processes in marine macrophytes. Ed. by L. M. Srivastava. De Gruyter, Berlin, 47–67.
- Markham, J. W. & Hagmeier, E., 1982. Observations on the effects of germanium dioxide on the growth of macro-algae and diatoms. – *Phycologia* 21, 125–130.
- Müller, D. G., Boland, W., Marner, F.-J. & Gassmann, G., 1982. Viridiene, the sexual pheromone of *Syringoderma* (Phaeophyceae). – *Naturwissenschaften* 69, 501–502.
- Müller, D. G., Gassmann, G., Marner, F.-J., Boland, W. & Jaenicke, L., 1982. The sperm attractant of the marine brown alga *Ascophyllum nodosum* (Phaeophyceae). – *Science*, N. Y. 218, 1119–1120.
- Müller, D. G., Peters, A., Gassmann, G., Boland, W., Marner, F.-J. & Jaenicke, L., 1982. Identification of a sexual hormone and related substances in the marine brown alga *Desmarestia*. – *Naturwissenschaften* 69, 290–292.
- Reise, K., 1982. Long-term changes in the macrobenthic invertebrate fauna of the Wadden Sea: Are polychaetes about to take over? – *Neth. J. Sea Res.* 16, 29–36.
- Rieper, M., 1982. Feeding preferences of marine harpacticoid copepods for various species of bacteria. – *Mar. Ecol. Prog. Ser.* 7, 303–307.
- Rosenthal, H. & Hourston, A. S., 1982. Observations on viability of eggs from small fish of a local herring stock. – *Can. tech. Rep. Fish. aquat. Sci.* 1090, 1–7.
- Schulz, K., 1982. The vertical distribution of calanoid copepods north of Cape Blanc. – *Rapp. P.-v. Réun. Cons. int. Explor. Mer* 180, 297–302.
- Siebers, D., 1982. Bacterial-invertebrate interactions in uptake of dissolved organic matter. – *Am. Zool.* 22, 723–733.
- Siebers, D., Leweck, K. & Winkler, A., 1982. Sodium regulation in the shore crab *Carcinus maenas* as related to ambient salinity. – *Mar. Biol.* 69, 37–43.
- Sperling, K.-R., 1982. Cadmiumbestimmungen in Küstenwasserproben aus der Deutschen Bucht (XVI. Mitt.). – *Vom Wasser* 58, 113–142.
- Sperling, K.-R., 1982. Determination of heavy metals in sea water and in marine organisms by flameless atomic absorption spectrophotometry XIV. Comments on the usefulness of organohalogenides as solvents for the extraction of heavy metal (Cd) complexes. – *Z. analyt. Chem.* 310, 254–256.
- Sperling, K.-R., 1982. Determination of heavy metals in sea water and in marine organisms by flameless atomic absorption spectrophotometry XV. Matrix effects in graphite tube atomizers and ways to overcome them. – *Z. analyt. Chem.* 311, 656–664.
- Sperling, K.-R., Bahr, B., 1982. Übereinstimmung und einige mögliche Ursachen für Abweichungen bei einer Interkalibration der Cadmiumbestimmung. – In: *Atom-spektrometrische Spurenanalytik*. Hrsg. von B. Welz. Verl. Chemie, Weinheim, 213–221.
- Tesch, F.-W., 1982. Neues aus der Aalforschung. – *Fisch und Fang* 23, 606–608.
- Uhlig, G. & Sahling, G., 1982. Rythms and distributional phenomena in *Noctiluca miliaris*. – *Annl. Inst. océanogr., Paris* 58 (Suppl.), 277–284.
- Westernhagen, H. von & Rosenthal, H., 1981. Laboratory and in situ studies on larval development and swimming performance of Pacific herring (*Clupea harengus pallasii*). – *Rapp. P.-v. Réun. Cons. int. Explor. Mer* 178, 143.
- Winkler, A., Siebers, D. & Leweck, K., 1982. Zur Bestimmung von Natrium in Meerwasser mit ionensensitiven Elektroden. – *GIT Fachz.* 26, 228–229.