

Veröffentlichungen

Veröffentlichungen des Stabes der Biologischen Anstalt Helgoland, die anderenorts erschienen sind

Publications by the staff of the Biologische Anstalt Helgoland that have been published elsewhere

- Andres, H. G., 1984. Neue Vertreter der antarktisch verbreiteten Gattung *Paraceradocus* Stebbing, 1899 (Crustacea: Amphipoda: Gammaridea). – Mitt. hamb. zool. Mus. Inst. 81, 85–107.
- Andres, H. G., 1984. Zwei neue Synopiiden (Crustacea: Amphipoda: Gammaridea) aus dem warmen, zentralen Nordatlantik. – Mitt. hamb. zool. Mus. Inst. 81, 109–116.
- Andres, H. G. & John, H.-Ch., 1984. Results of some neuston net catches in the warmer Central North Atlantic – fish larvae and selected invertebrates. – Meeresforschung 30, 144–154.
- Anger, K., 1984. Development and growth in larval und juvenile *Hyas coarctatus* (Decapoda, Majiidae) reared in the laboratory. – Mar. Ecol. Prog. Ser. 19, 115–123.
- Anger, K. & Dietrich, A., 1984. Feeding rates and gross growth efficiencies in *Hyas araneus* L. larvae (Decapoda: Majiidae) reared in the laboratory. – J. exp. mar. Biol. Ecol. 77, 169–181.
- Bartsch, I., 1983. *Ophiocirce mabahithae* Mortensen, 1939 from the deep Red Sea. – Senckenberg. biol. 64, 233–239.
- Bartsch, I., 1984. Two new species of the *pulcher* group in the genus *Copidognathus* (Acari, Halacaridae). – Zool. Scr. 13, 27–31.
- Bartsch, I. & Hartwig, E., 1984. Die bodenlebende Mikrofauna im Hamburger Hafen. – Arch. Hydrobiol. (Suppl.) 61, 543–586.
- Boland, W., Ney, P., Jaenicke, L. & Gassmann, G., 1984. A "closed-loop-stripping" technique as a versatile tool for metabolic studies of volatiles. In: Analysis of volatiles. Ed. by P. Schreier. De Gruyter, Berlin, 371–380.
- Bulnheim, H.-P., 1984. Biochemisch-genetische Untersuchungen zur Art- und Populationsdifferenzierung bei Amphipoden und Isopoden. – Zool. Beitr. 28, 349–368.
- Bulnheim, H.-P., 1984. Physiological responses of various *Gammarus* species to environmental stress. – Limnologia 15, 461–467.
- Bulnheim, H.-P., 1983. Meeresökologie im Brennpunkt. Professor Dr. O. Kinne zum 60. Geburtstag. – Der Helgoländer 230.
- Bulnheim, H.-P. & Sauer, K. P., 1984. *Anemonia sulcata* – zwei Arten? Genetische und ökologische Evidenz. – Verh. dt. zool. Ges. 77, 264.
- Dethlefsen, V., Watermann, B. & Hoppenheit, M., 1984. Sources of variance in data from fish disease surveys. – Arch. FischWiss. 34, 155–173.
- Dietrich, A. & Uhlig, G., 1984. Stage specific classification of copepods with automatic image analysis. – Crustaceana (Suppl.) 7, 159–165.

- Elbrächter, M., 1984. Functional types of marine primary producers and their significance in the food web. In: Flows of energy and materials in marine ecosystems. Ed. by M. J. R. Fasham. Plenum Press, New York, 191–221.
- Elbrächter, M. & Neuhaus, R., 1984. Phytoplanktonuntersuchungen. – Ber. Polarforsch. 18, 31–32.
- Elbrächter, M. & Neuhaus, R., 1984. Untersuchungen zur Sauerstoffbilanz antarktischer Organismen. – Ber. Polarforsch. 18, 32–33.
- Gassmann, G. & Pocklington, R., 1984. Hydrocarbons in waters adjacent to an oil exploratory site in the Western North Atlantic Ocean. – Environ. Sci. Technol. 18, 869–872.
- Gieskes, W. W. C., Beese, B. & Elbrächter, M., 1984. Horizontale und vertikale Verteilung von Chlorophyll zwischen der Antarktischen Halbinsel und der Scotia See und der Beitrag des Phytoplanktons zur spektralen Lichtabsorption. – Ber. Polarforsch. 18, 29–30.
- Gunkel, W., 1984. Kann Impfen mit Bakterien den Ölabbau im Meer beschleunigen? – Wissenschaftsmagazin TU Berlin (Sonderh.: Biotechnologie), 112–115.
- Hartmann-Schröder, G., 1984. Zwei neue kommensalische Polychaeten der Gattung *Hololepidella* Willey (Polynoidae) von den Philippinen. – Mitt. hamb. zool. Mus. Inst. 81, 63–70.
- Hartmann-Schröder, G., 1984. Die Polychaeten der antiborealen Südküste Australiens (zwischen Albany im Westen und Ceduna im Osten). – Mitt. hamb. zool. Mus. Inst. 81, 7–62.
- Hartmann-Schröder, G., 1984. Die Polychaeten der 15., 36. und 76. Reise von FS "Walther Herwig" zum patagonischen Schelf (Südwest-Atlantik). – Senckenberg. marit. 15, 251–277.
- Hickel, W., 1984. Seston in the Wadden Sea of Sylt (German Bight, North Sea). – Netherl. Inst. Sea Res. – Publ. Ser. 10, 113–131.
- Hickel, W., 1984. Seston retention by Whatman GF/C glass-fiber filters. – Mar. Ecol. Prog. Ser. 16, 185–191.
- Hickel, W., 1984. Particulate nitrogen in the German Bight and its potential oxygen demand. – Ber. Inst. Meeresk. Kiel 130, 48–49.
- Hourston, A. S., Rosenthal, H. & Westernhagen, H. von, 1984. Viable hatch from eggs of Pacific herring (*Clupea harengus pallasii*) deposited at different intensities on a variety of substrates. – Can. tech. Rep. Fish. aquat. Sci. 1274, 1–19.
- Hülsemann, K., 1984. First results on *Copepoda calanoida* from the equatorial Atlantic (RV "Meteor" cruise 51). – Crustaceana (Suppl.) 7, 249–257.
- John, H.-Ch., 1984. Drift of larval fishes in the ocean: Results and problems from previous studies and a proposed field experiment. In: Mechanisms of migration in fishes. Ed. by J. D. McCleave, G. P. Arnold, J. J. Dodson & W. H. Neill. Plenum Press, New York, 574 pp.
- John, H.-Ch., 1984. Horizontal and vertical distribution of lancelet – and fish larvae in the Sargasso Sea during spring 1979. – Meeresforschung 30, 133–143.
- Karrer, Ch., 1984. Beschreibung von Jugendstadien dreier Spariden-Arten aus dem nordwestafrikanischen Auftriebsgebiet (Teleostei, Perciformes). Anhang: Die dorsalen Stützelemente der nordatlantischen Sparidae. – Arch. FischWiss. 35, 53–90.
- Kinne, O., 1984. Introduction to Part 3 – Pollution and protection of the seas: Radioactive

- materials, heavy metals, and oil. In: Marine ecology. Ed. by O. Kinne. Wiley, Chichester, 5 (3), 1091–1109.
- Kinne, O. (Ed.), 1984. Marine ecology. Wiley, Chichester, 5 (4), 1620–1963.
- Kinne, O., 1984. Introduction to Part 4 – Pollution and protection of the seas: Pesticides, domestic wastes and thermal deformations. In: Marine ecology. Ed. by O. Kinne, Wiley, Chichester, 5 (4), 1620–1625.
- Kinne, O. (Ed.), 1984. Diseases of marine animals. Biologische Anstalt Helgoland, Hamburg, 4.
- Kinne, O., 1984. Introduction to Volume 4: Pisces. In: Diseases of marine animals. Ed. by O. Kinne. Biologische Anstalt Helgoland, Hamburg, 4, 1–16.
- Kinne, O., 1984. Ökologie – Brennpunkt biologischer Forschung und Schicksalsfrage für die Menschheit. – Verh. dt. zool. Ges. 77 (Beih.), 24–37.
- Kinne, O., 1984. Bernhard Werner, 2. 4. 1910 bis 22. 3. 1983. – Verh. dt. zool. Ges. 77, 353–354.
- Krüner, G. & Rosenthal, H., 1984. Start-up phase of a biological filter using two substrates. – Spec. Publ. Eur. Maricult. Soc. 8, 67–68.
- Kunisch, M. & Anger, K., 1984. Variation in development and growth of larval and juvenile spider crabs *Hyas araneus* reared in the laboratory. – Mar. Ecol. Prog. Ser. 15, 292–301.
- Larkin, P. A., Clark, C. W., Daan, N., Dutt, S., Hongskul, V., Levin, S. A., Newman, G. G., Pauly, D. M., Radach, G. & Rosenthal, H., 1984. Strategies for multispecies management. Group Report. – Life Sci. Res. Rep. 32, 287–301 (Dahlem conference).
- Legendre, L., Collos, Y., Elbrächter, M., Fasham, M. J. R., Gieskes, W. W. C., Herbland, A., Holligan, P. M., Margalef, R., Perry, M. J., Platt, T., Sakshaug, E. & Smith, D. F., 1984. Studies on marine autotrophs: Recommendations for the 1980's. In: Flows of energy and materials in marine ecosystems. Ed. by M. J. R. Fasham. Plenum Press, New York, 629–639.
- Maier, I., Müller, D. G., Gassmann, G., Boland, W., Marner, F.-J. & Jaenicke, L., 1984. Pheromone-triggered gamete release in *Chorda tomentosa*. – Naturwissenschaften 71, 48–49.
- Müller, D. G., Clayton, M. N., Gassmann, G., Boland, W., Marner, F.-J. & Jaenicke, L., 1984. The sperm attractant of *Hormosira banksii* (Phaeophyceae, Fucales), a seaweed common to Australia and New Zealand. – Experientia 40, 211–212.
- Rosenthal, H., 1984. Oxygenation and filtration technique in aquaculture. In: Razionale utilizzo delle risorse idriche in acquacoltura. Ed. by G. Alessandra. Ente di Sviluppo Agricolo Veneto, 57–76.
- Rosenthal, H. & Munro, A. L. S., 1984. Der aquatische Lebensraum. Umweltbedingungen in natürlichen Gewässern und Aquakulturanlagen. In: Grundlagen der Fischpathologie. Hrsg. von R. R. Roberts & H. J. Schlotfeldt. Parey, Berlin, 1–22.
- Rosenthal, H. & Krüner, G., 1984. Kombination von biologischer Wasseraufbereitung und Ozonisierung in einem geschlossenen Meerwasser-Kreislauf. – ForschBer. BMFT, M 84-006, 1–113.
- Rosenthal, H. & Krüner, G., 1984. Treatment efficiency of an improved ozonation unit applied to fish culture situations. – Ozone: Sci. Engng 6, 25–36.
- Rosenthal, H., Sarig, S., Hopher, B., Lillelund, K., Peters, G. & Tiews, K., 1984. Summary

- and conclusions of the Second Status Seminar of the German-Israeli Cooperation in Aquaculture Research. – Spec. Publ. Eur. Maricult. Soc. 8, 278–289.
- Rosenthal, H. & Sarig, S. (Eds), 1984. Research on Aquaculture Proceedings of the Second Status Seminar of the German-Israeli Cooperation in Aquaculture Research. – Spec. Publ. Eur. Maricult. Soc. 8, 1–293.
- Sakshaug, E., Granelli, E., Elbrächter, M. & Kayser, H., 1984. Chemical composition and alkaline phosphatase activity of nutrient-saturated and P-deficient cells of four marine dinoflagellates. – J. exp. mar. Biol. Ecol. 77, 251–254.
- Schoth, M. & Tesch, F.-W., 1984. The vertical distribution of small 0-group larvae in the Sargasso Sea with reference to other anguilliform leptocephali. – Meeresforschung 30, 188–195.
- Schoth, M., 1984. Der Stand der Aalforschung. – Österr. Fisch. 37, 57–63.
- Schulz, D., Drebes, G., Lehmann, J. & Jank-Ladwig, R., 1984. Ultrastructure of *Anaulus creticus* Drebes & Schulz with special reference to its reduced ocelli. – Eur. J. Cell Biol. 33, 43–51.
- Sperling, K.-R., 1983. Lethal and sublethal effects of cadmium on marine organisms – a critical discussion about "safety levels". – Ecotoxicol. environ. Safety 7, 521–524.
- Sperling, K.-R., 1984. Verhütung der seeseitigen Meeresverschmutzung – Ein Bericht über die wissenschaftlichen Arbeitsgruppen zur "Oslo-" und zur "London-Dumping Convention". – Vom Wasser 62, 51–62.
- Sperling, K.-R., 1984. Determination of Cd traces in environmental samples. (Determination of heavy metals in sea water and in marine organisms by flameless AAS. P. 19). – Spurenanal. Fortschr. Atomspektrometr. I, 385–401.
- Sperling, K.-R., 1984. The Tube-in-Tube technique in Electrothermal Atomic Absorption Spectrometry, I. Atomization behaviours and matrix effects of Cadmium using the LVov platform and the Tube-in-Tube technique. – Spurenanal. Fortschr. Atomspektrometr. I, 145–156.
- Sperling, K.-R., 1984. The Tube-in-Tube technique in Electrothermal Atomic Absorption Spectrometry, II. The Three-Bar Tube. – Z. analyt. Chem. 317, 261–263.
- Sperling, K.-R., 1984. The Tube-in-Tube technique in Electrothermal Atomic Absorption Spectrometry, III. The atomization behaviour of Zn, Cd, Pb, Cu und Ni. – Spectrochim. Acta 39b, 371–378.
- Sperling, K.-R., 1984. Schutz der Nordsee – Bilanz und Ausblick. – Mitt. dt. Ges. Meeresforsch. 4, 3–8.
- Tesch, F.-W., 1984. Wie läuft der Aal im Gezeitenbereich? – Fisch und Fang 25 (12), 44–45.
- Weigmann-Hass, R., Schneppenheim, R. & Janssen, G., 1984. Ist *Themisto gaudichaudii* ein bipolare Art? – Elektrophoretische und morphologische Untersuchungen zur Gattung *Themisto* (Amphipoda: Hyperiidea). – Verh. dt. zool. Ges. 77, 269.
- Wenzel, F. & Winkler, A., 1984. Quantitative Untersuchungen über die Nahrungsaufnahme von *Colpoda cucullus* O. F. Müller (Holotricha, Ciliata). – Zool. Anz. 212, 1–16.