

## Veröffentlichungen

*Veröffentlichungen des Stabes der Biologischen Anstalt Helgoland, die anderenorts erschienen sind*

*Publications by the staff of the Biologische Anstalt Helgoland that have been published elsewhere*

- Andres, H. G., 1986. *Atylopsis procerus* sp. n. und *Cheirimedon solidus* sp. n. aus der Weddell-See sowie Anmerkungen zu *Orchomenella pinguides* Walker, 1903 (Crustacea: Amphipoda: Gammaridea). – Mitt. hamb. zool. Mus. Inst. 83, 117–130
- Andres, H. G. & Lott, N., 1986. Where to place *Eclysis similis* K. H. Barnard, 1932? Hints at its relationships and remarks on the systematic position of the Astyridae (Crustacea: Amphipoda). – Mitt. hamb. zool. Mus. Inst. 83, 131–137.
- Anger, K., 1986. Changes of respiration and biomass of spider crab (*Hyas araneus*) larvae during starvation. – Mar. Biol. 90, 261–269.
- Armonies, W., 1986. Free-living Plathelminthes in sheep-grazed and ungrazed supralittoral salt marshes of the North Sea: abundance, biomass, and their significance in food chains. – Neth. J. Sea Res. 20, 385–395.
- Armonies, W., 1986. Free-living Plathelminthes in North Sea salt marshes: Adaptations to environmental instability. An experimental study. – J. exp. mar. Biol. Ecol. 99, 181–197.
- Armonies, W. & Hellwig, M., 1986. Quantitative extraction of living meiofauna from marine and brackish muddy sediments. – Mar. Ecol. Prog. Ser. 29, 37–43.
- Asmus, R., 1986. Nutrient flux in short-term enclosures of intertidal sand communities. – Ophelia 26, 1–18.
- Bartsch, I., 1986. Zur Gattung *Agauopsis* (Acari, Halacaridae), Beschreibung zweier neuer Arten und Übersicht über Verwandtschaftsgruppen. – Zool. Scr. 15, 165–174.
- Bartsch, I., 1986. Acari: Halacaridae. In: Stygofauna mundi. Hrsg. von L. Botosaneanu. Brill, Leiden, 638–642.
- Bauerfeind, E., Elbrächter, M., Steiner, R. & Throndsen, J., 1986. Application of Laser Doppler Spectroscopy (LDS) in determining swimming velocities of motile phytoplankton. – Mar. Biol. 93, 323–327.
- Berghahn, R., 1986. Determining abundance, distribution, and mortality of O-Group plaice (*Pleuronectes platessa* L.) in the Wadden Sea. – J. appl. Ichthyol. 2, 11–22.
- Berghahn, R., Karbe, L., Seidel, U., Burchert, S. & Zeitner, R., 1986. Zur Ökotoxikologie fluviatilen Baggerguts in Meer- und Brackwasser – Ergebnisse aus einem orientierenden Aquariexperiment. – Vom Wasser 66, 221–224.
- Bilio, M., Rosenthal, H. & Sindermann, C. J. (Eds.), 1986. Realism in aquaculture: Achievements, constraints, perspectives. European Aquaculture Society, Bredene, 585 pp.

- Black, E. A. & Rosenthal, H., 1986. A survey of mariculture water quality. – British Columbia Mariculture Newsl. 6, 18–22.
- Bulnheim, H.-P. & Scholl, A., 1986. Genetic differentiation between populations of *Talitrus saltator* and *Talorchestia deshayesii* (Crustacea: Amphipoda) from coastal areas of the north-western European continent. – Mar. Biol. 92, 525–536.
- Cheng, L., John, H.-C. & Ré, P., 1986. Northeastern range of *Halobates micans* (Heteroptera, Gerridae) in the Atlantic Ocean. – Meeresforschung 31, 137–140.
- Dawirs, R. R., 1986. Influence of limited food supply on growth and elemental composition (C, N, H) of *Carcinus maenas* (Decapoda) larvae reared in the laboratory. – Mar. Ecol. Prog. Ser. 31, 301–308.
- Dawirs, R. R. & Dietrich, A., 1986. Temperature and laboratory feeding rates in *Carcinus maenas* L. (Decapoda: Portunidae) larvae from hatching through metamorphosis. – J. exp. mar. Biol. Ecol. 99, 133–147.
- Dawirs, R. R., Püschel, C. & Schorn, F., 1986. Temperature and growth in *Carcinus maenas* L. (Decapoda: Portunidae) larvae reared in the laboratory from hatching through metamorphosis. – J. exp. mar. Biol. Ecol. 100, 47–74.
- Dethlefsen, V., Cameron, P., von Westernhagen, H. & Janssen, D., 1986. Morphologische und chromosomale Untersuchungen an Fischembryonen der südlichen Nordsee in Zusammenhang mit der Organochlorkontamination der Elterntiere. – Veröff. Inst. Küst.- u. Binnenfisch. 96, 1–57.
- Gieskes, W. W. C. & Elbrächter, M., 1986. Abundance of nanoplankton-size chlorophyll-containing particles caused by diatom disruption in surface waters of the Southern Ocean (Antarctic peninsula region). – Neth. J. Sea Res. 20, 291–303.
- Grimaldi, E. & Rosenthal, H. (Eds.), 1986. Trends and problems in aquaculture development. (Proceedings of the 2nd international conference on aquafarming, "Acquacoltura '84", Verona, Italy, October 12–13, 1984). Ente Autonoma, Fiere di Verona, Verona, 426 pp.
- Hagen, W. & Kapp, H., 1986. Infestation of Atlantic chaetognaths with helminths and ciliates. – Dis. aquat. Org. 1, 23–28.
- Hartmann-Schröder, G., 1986. Die Polychaeten der antiborealen Südküste Australiens (zwischen Wallaroo im Westen und Port MacDonnell im Osten). – Mitt. hamb. zool. Mus. Inst. 83, 31–70.
- Hartmann-Schröder, G., 1986. Die Polychaeten der 56. Reise der "Meteor" zu den South Shetland-Inseln (Antarktis). – Mitt. hamb. zool. Mus. Inst. 83, 71–100.
- Hartmann-Schröder, G., 1986. Polychaeta (incl. Archiannelida). In: Stygofauna mundi. Hrsg. von L. Botosaneanu. Brill, Leiden, 210–233.
- Hickel, W., Böse, A. & Radach, G., 1986. Stickstoff-Mengen und Phytoplanktonbestände in der Deutschen Bucht im Hinblick auf das Eutrophierungsproblem. – Ber. Biol. Anst. Helgoland 1, 1–46.
- Hüttel, M., 1986. Active aggregation and downshore migration in the trochid snail *Umbonium vestiarium* (L.) on a tropical sand flat. – Ophelia 26, 221–232.
- Jarling, C. & Kapp, H., 1986. *Heterokrohnia longicaudata*, a new species of Chaetognatha from Antarctic waters. – Polar Biol. 5, 181–183.
- John, H.-C., 1986. On currents off Northwest Africa as revealed by fish larvae distributions. – Unesco tech. Pap. mar. Sci. 49, 149–155.

- Kaufmann, T., 1986. Entwicklung von Testverfahren an marinen Arten für ökotoxikologische Untersuchungen nach dem ChemG: Tunikaten. – UBA-Texte 7, 161–204.
- Kinne, O., 1986. Realism in aquaculture – the view of an ecologist. In: Realism in aquaculture: Achievements, constraints, perspectives. Ed. by M. Bilio, H. Rosenthal & C. J. Sindermann. European Aquaculture Society, Bredene, 11–22.
- Klumpp, D. W. & von Westernhagen, H., 1986. Nitrogen balance in marine fish larvae: influence of developmental stage and prey density. – Mar. Biol. 93, 189–199.
- Kremer, B. P. & Janke, K., 1986. Die Insel Helgoland – geologische und biologische Anmerkungen zu einem einzigartigen Lebensraum. – Seevögel 7 (Sonderh. 2), 1–25.
- Lauckner, G., 1986. Ecological effects of larval trematode infestation on littoral marine invertebrate populations. In: Parasitology – Quo Vadit? Ed. by M. J. Howell. Australian Academy of Science, Canberra, 391–398.
- Lauckner, G., 1986. Analysis of parasite-host systems in the western Baltic Sea. – Ophelia (Suppl.) 4, 129–137.
- Lauckner, G., 1986. Muschelfischerei aus parasitologischer und ökologischer Sicht. – Arb. dt. Fisch.-Verb. 42, 45–57.
- Lucu, C. & Siebers, D., 1986. Amiloride – sensitive sodium flux and potentials in perfused *Carcinus* gill preparations. – J. exp. Biol. 122, 25–35.
- Lucu, C. & Siebers, D., 1986. Effects of mercury on chloride fluxes and transbranchial potentials in perfused gills of *Carcinus*. – Rapp. P.-v. Réun. Commn int. Explor. scient. Mer Méditerran. 30 (2), 120. (Abstr.)
- Lüning, K., 1986. New frond formation in *Laminaria hyperborea* (Phaeophyta): a photo-periodic response. – Br. phycol. J. 21, 269–273.
- Martens, P., 1986. On the hydrography of the North Frisian Wadden Sea in June 1984. – Annls biol., Copenh. 41, 46–47.
- Martens, P., 1986. Short-term fluctuations in hydrographic parameters during a declining *Phaeocystis*-bloom in May 1984. – Annls biol., Copenh., 41, 47–49.
- Martens, P., 1986. Diurnal variation in the respiration rate of natural zooplankton communities in the North Sea. – Oebalia 13, 203–219.
- Minas, W., 1986. Temperaturabhängigkeit des Ölabbau in der Nordsee durch natürlich vorkommende Mikroorganismenpopulationen am Beispiel eines Schweröls (Bunker C). – Erdöl, Erdgas, Kohle 102, 301–302.
- Minas, W., Gunkel, W. & Tadday, G., 1986. An open flow-through chamber system – a new tool for experimental ecological investigations in the marine sublittoral. – Mar. environ. Res. 20, 299–305.
- Niermann, U., Andres, H. G. & John, H.-C., 1986. Distribution and abundance of pelagic *Sargassum* in spring 1979. – Senckenberg. marit. 17, 293–302.
- Odense, P. H. & Rosenthal, H., 1986. Surface structures of the herring egg capsule. – Proc. microsc. Soc. Canada 13, 76–77.
- Riemann-Zürneck, K., 1986. On some abyssal sea anemones of the North Atlantic (Actiniaria: Hormathiidae). – Mitt. hamb. zool. Mus. Inst. 83, 7–29.
- Rosenthal, H., 1986. Trends in aquaculture production. – IVA Rapp. R. Swed. Acad. Engng Sci., Stockh. 308, 7–54.
- Rosenthal, H., 1986. Progress in central and northern European aquaculture. In: Trends and problems in aquaculture development. (Proceedings of the 2nd international

- Rosenthal, H., 1986. Progress in central and northern European aquaculture. In: Trends and problems in aquaculture development. (Proceedings of the 2nd international conference on aquafarming "Acquacoltura '84", Verona, October 12–13.) Ente Autonoma, Fiere di Verona, Verona, 49–61.
- Rosenthal, H. & Murray, K. R., 1986. System design and water quality criteria. In: Realism in aquaculture: Achievements, constraints, perspectives. Ed. by M. Bilio, H. Rosenthal & C. J. Sindermann. European Aquaculture Society, Bredene, 473–493.
- Rosenthal, H., Hogendoorn, H., Murray, K. & Wickins, J. (Eds.), 1986. Flow-through and recirculation systems: Report of the working group on terminology, format and units of measurement. – EIFAC tech. Pap. 49, 1–100.
- Rosenthal, H., Grimaldi, E., Billard, R., Ghittino, P., Hiusman, E. A., Monzini, A. & Watanabe, T., 1986. Summary and conclusions of the international aquaculture conference: "Verona '84". In: Trends and problems in aquaculture development. (Proceedings of the 2nd international conference on aquafarming "Acquacoltura '84", Verona, October 12–13., 1984.) Ed. by E. Grimaldi & H. Rosenthal. Ente Autonoma, Fiere di Verona, Verona, 412–426.
- Schnepf, E. & Drebes, G., 1986. Chemotaxis and appetite of *Paulsenella* sp. (Dinophyta), an ectoparasite of the marine diatom *Streptotheca thamesis* Shrubsole. – *Planta* 167, 337–343.
- Scholz, N., 1986. Entwicklung von Testverfahren an marinen Arten für ökotoxokologische Untersuchungen nach dem ChemG. – Bryozoen/Kamptozoen. – UBA-Texte 27, 67–100.
- Schubert, A. & Reise, K., 1986. Predatory effects of *Nephtys hombergii* on other polychaetes in tidal flat sediments. – *Mar. Ecol. Prog. Ser.* 34, 117–124.
- Schulz, K., 1986. *Temoropia setosa* sp. n. (Copepoda: Calanoida: Temoridae) aus dem Kanarenstromgebiet (Nordost-Atlantik) mit Anmerkungen zur Gattung *Temoropia* T. Scott. – *Mitt. hamb. zool. Mus. Inst.* 83, 139–146.
- Siebers, D. & Winkler, A., 1986. Zur Ernährung der Miesmuschel mit gelösten Stoffen. – *Arb. dt. Fisch.-Verb.* 42, 59–65.
- Sperling, K.-R., 1986. The tube-in-tube technique in electrothermal AAS IV. – The influence of vapor movements on the development of the analytical signal. – *Fortschr. atomspektrometr. Spurenanal.* 2, 37–50.
- Sperling, K.-R., 1986. Protection of the North Sea: Balance and prospects. – *Mar. Pollut. Bull.* 17, 241–246.
- Sperling, K.-R., 1986. Meereschemie. Überlegungen zu ihrer Bedeutung für die Meeresforschung. – *Mitt. dt. Ges. Meeresforsch.* 3, 10–13.
- Sperling, K.-R., 1986. Atomspektrometrische Spurenanalytik – Anwendungstechnische Beispiele aus der Umwelt-Analytik. – *Lab. med.* 10, 124–131.
- Spindler, K.-D. & Anger, K., 1986. Ecdysteroid levels during the larval development of the spider crab *Hyas araneus*. – *Gen. comp. Endocrinol.* 64, 122–128.
- Tilzer, M. M., Elbrächter, M., Gieskes, W. W. C. & Beese, B., 1986. Light-temperature interactions in the control of photosynthesis in Antarctic phytoplankton. – *Polar Biol.* 5, 105–111.
- Uhlig, G., 1985. Blooming and red tide phenomenon in *Noctiluca scintillans*. – *Bull. mar. Sci.* 37, 779–780.
- Weisse, T., Grimm, N., Hickel, W. & Martens, P., 1986. Dynamics of *Phaeocystis*

- pouchetii* blooms in the Wadden Sea of Sylt (German Bight, North Sea). – Estuar. coast. Shelf Sci. 23, 171–182.
- Westernhagen, H. v., Hickel, W., Bauerfeind, E., Niermann, U. & Kröncke, I., 1986. Sources and effects of oxygen deficiencies in the southeastern North Sea. – *Ophelia* 26, 457–473.
- Winkler, A., 1986. Effects of inorganic sea water constituents on branchial Na-K-ATPase activity in the shore crab *Carcinus maenas*. – *Mar. Biol.* 92, 537–544.